

SAFETY DATA SHEET

Version 6.10 Revision Date 22.08.2023 Print Date 23.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sulfuric acid

Product Number : 339741 Brand : Aldrich CAS-No. : 7664-93-9

1.2 Other means of identification

No data available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other

uses.

1.4 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pty. Ltd.

Suite 1, Level 1, Building B

11 Talavera Road

MACQUARIE PARK NSW 2113

AUSTRALIA

Telephone : +61 1800 800 097

1.5 Emergency telephone

Emergency Phone # : Free call (24/7): 1800 448 465

Int'l (24/7): +61 2 9037 2994

(CHEMTREC)

SECTION 2: Hazards identification

2.1 GHS Classification

Corrosive to Metals (Category 1), H290

Skin corrosion/irritation (Category 1A), H314

Serious eye damage/eye irritation (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard statement(s)

H290 May be corrosive to metals.

Aldrich- 339741 Page 1 of 11



H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

Prevention

P234 Keep only in original container.
P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 +

P310

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P390 Absorb spillage to prevent material damage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

3.1 Substances

Hazardous ingredients

Component	Classification	Concentration		
sulphuric acid				
	Met. Corr. 1; Skin Corr./Irrit. 1A; Eye Dam./Irrit. 1; H290, H314, H318 Concentration limits: >= 0.3 %: Met. Corr. 1, H290; >= 15 %: Skin	<= 100 %		
	Corr. 1A, H314; 5 - < 15 %: Skin Irrit. 2, H315; 5 - < 15 %: Eye Irrit. 2, H319;			

Aldrich- 339741 Page 2 of 11



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Sulfur oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Aldrich- 339741 Page 3 of 11

MERCK

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Tightly closed.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
sulphuric acid	7664-93-9	STEL	3 mg/m3	Australia. Workplace Exposure Standards for Airborne Contaminants.
		TWA	1 mg/m3	Australia. Workplace Exposure Standards for Airborne Contaminants.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing and immerse in water. Preventive skin protection Wash hands and face after working with substance.

Aldrich- 339741 Page 4 of 11



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 120 min

Material tested:Butoject® (KCL 898)

Body Protection

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state clear, liquidb) Color colorlessc) Odor odorless

d) Melting Melting point: 10.31 °C

point/freezing point

e) Initial boiling point 290 °C - lit.

Aldrich- 339741 Page 5 of 11

MERCK

and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point No data availablei) Autoignition No data available

temperature

j) Decomposition No data available temperature

k) pH 1.2 at 5 g/l

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: 23 mPa.s at 20 °C

m) Water solubility soluble

n) Partition coefficient: Not applicable for inorganic substances n-octanol/water

o) Vapor pressure 1.33 hPa at 145.8 °C p) Density 1.84 g/cm3 at 25 °C - lit.

q) Relative vapor No data available

No data available

density

r) Particle No data available characteristics

s) Explosive properties No data available

t) Oxidizing properties none

9.2 Other safety information

Surface tension 55.1 mN/m at 20 °C

Relative vapor density

3.39 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances: Water

Aldrich- 339741 Page 6 of 11



Alkali metals alkali compounds

Ammonia

Aldehydes

acetonitrile

Alkaline earth metals

alkalines

Acids

alkaline earth compounds

Metals

metal alloys

Oxides of phosphorus

phosphorus

hydrides

halogen-halogen compounds

oxyhalogenic compounds

permanganates

nitrates

carbides

combustible substances

organic solvent

acetylidene

Nitriles

organic nitro compounds

anilines

Peroxides

picrates

nitrides

lithium silicide

iron(III) compounds

bromates

chlorates

Amines

perchlorates

hydrogen peroxide

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

animal/vegetable tissuesContact with metals liberates hydrogen gas.

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2,140 mg/kg

Remarks: (ECHA)

Inhalation: No data available

Aldrich- 339741 Page 7 of 11



Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Extremely corrosive and destructive to tissue.

Remarks: (IUCLID)

Serious eye damage/eye irritation Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative Remarks: (HSDB) Carcinogenicity No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: WS5600000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Aldrich- 339741 Page 8 of 11



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia

and other aquatic

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae

invertebrates

static test ErC50 - Desmodesmus subspicatus (green algae) - > 100

ma/l - 72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Caustic even in diluted form.

Does not cause biological oxygen deficit.

Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities.

Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1830 IMDG: 1830 IATA-DGR: 1830

14.2 UN proper shipping name

SULPHURIC ACID ADR/RID:

Aldrich- 339741 Page 9 of 11



IMDG: SULPHURIC ACID IATA-DGR: Sulphuric acid

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA-DGR: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA-DGR: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA-DGR: no

14.6 Special precautions for user

None

14.7 Incompatible materials

animal/vegetable tissuesContact with metals liberates hydrogen gas.

Other regulations

Hazchem Code : 2P

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of : No poison schedule number

Medicines and Poisons allocated

SECTION 16: Other information

-Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
11230	riay be corresive to inclais.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- 339741 Page 10 of 11



Aldrich- 339741 Page 11 of 11

